


VLF PULSES AND HAARP

Clifford E Carnicom

Mar 23 2003

HAARP EXECUTIVE SUMMARY (NOTE REFERENCES TO ELF-VLF PULSE PROPAGATION FROM 30Hz TO 30KHz)

(Credit to: Weapons of Total Destruction Site
<http://www.viewzone.com/haarp.exec.html>)



VLF Data Logged 032303 at approx. 1000.

X Axis : Observation No. (1 per second)

Y Axis : Frequency in KHz.

Very Low Frequency (VLF) pulse data is again evident. Research is underway to determine the nature of the signals. It appears that either harmonics and or mixing of signals may be a factor. The role of sunlight is also being investigated as a factor in the presence of these signals. It will be helpful if any researchers in any location can verify the existence of these signals during periods of darkness and/or heavy cloud cover.

The ELF circuit is configured to use the external directional antenna aligned with the magnetic field lines of the earth. The antenna is tuned with a 2pF capacitor in parallel resonance and the potentiometers set for the maximum frequency


attainable (approx. 1 - 3 Khz.). Extended periods of monitoring are required to capture these segments of data.

Citizens should be especially aware of at least the following two excerpts from the HAARP Executive Summary mentioned above:

"...Because this area of research appears especially promising, and because of existing DOD requirements for ELF and VLF, it is already a primary driver of the proposed research program.

In addition to its potential application to long range, survivable, DOD communications, there is another potentially attractive application of strong ELF/VLF waves generated in the ionosphere by ground-based heaters. It is known that ELF/VLF signals generated by lightning strokes propagate through the ionosphere and interact with charged particles trapped along geomagnetic field lines, causing them, from time to time, to precipitate into the lower ionosphere. If such processes could be reliably controlled..."

The potential applications of precipitate control within a modified lower atmosphere, under the current state of knowledge of the aerosol operations, are also now to be considered. Readers are encouraged to read in detail and distribute the Executive Summary referenced above.



X Axis : Observation No. (1 per second)
Y Axis : Frequency in KHz.

From the [Weapons of Total Destruction](#) web site referring to the HAARP Executive Summary Paper"

"The military's own Executive Summary of the HAARP program clearly states their reliance on ELF waves. Instead of transmitting these waves from ground based transmitters, HAARP created these waves through the use of "pulse" transmissions of their HF energy beams. Or, to put it another way, HAARP duplicated the ELF signals by turning their signal on and off at rates (30 to 3000 cycles per second) within the ELF range. The result was that ELF radiation could be directed to a specific area on the surface of the planet, at will."

Clifford E Carnicom
Mar 23 2003

[Back to Aerosol Operations Main Page](#)